


The background features a smooth gradient from a pale yellow at the top to a deep green at the bottom. A faint, light-colored grid is overlaid on the entire image. The text 'SPOT DOWNLIGHT' is centered horizontally and vertically in a bold, dark grey font.

SPOT DOWNLIGHT



CLEAR GLASS 120.-


DIA 49 mm. H 3 mm.


 Clear glass
For MR16 lamp



FROSTED GLASS 120.-


DIA 49 mm. H 3 mm.

 Frosted glass
For MR16 lamp



HONEYCOMB 120.-

DIA 50 mm. H 3 mm.

 Aluminium material
For MR16 lamp

LED MR16 7W

400.-

2700K, 3000K, 4000K, 6000K



EPISTAR CHIP LED 7W 560lm



- Aluminium Body
- Non-Dim
- Dimmable (Optional)



LED GU10 7W

400.-

2700K, 3000K, 4000K, 6000K



EPISTAR CHIP LED 7W 560lm



- Aluminium Body
- Non-Dim
- Dimmable (Optional)





MR11 MODULE 6W 800.-

2700K, 3000K, 4000K



CREE CHIP LED 6W 480lm



- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

MR11 MODULE 10W 1000.-

2700K, 3000K, 4000K



CREE CHIP LED 10W 770lm



- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MR11 MODULE 15W 1500.-

2700K, 3000K, 4000K



CREE CHIP LED 15W 1350lm



- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED LAMP



MR16 MODULE 10W 1000.-

2700K, 3000K, 4000K, 6000K



CREE CHIP LED 10W 800lm



Aluminium Body
LED Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

MR16 MODULE 15W 1500.-

2700K, 3000K, 4000K, 6000K



CREE CHIP LED 15W 1200lm



Aluminium Body
LED Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



MR16 MODULE 20W 2000.-

3000K, 4000K, 6000K



CREE CHIP LED 20W 1600lm



Aluminium Body
LED Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LED LAMP

AR111 MODULE 15W 1500.-

3000K, 4000K, 6000K.



CREE CHIP LED 15W 1200lm

24°



Aluminium Body
LED Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

AR111 MODULE 30W 2250.-

3000K, 4000K, 6000K



CREE CHIP LED 30W 2700lm

24°



Aluminium Body
LED Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LED LAMP

MR16 MODULE 8W CCT 1500.-

2700K to 6500K



LED CHIP LED 24Vdc 8W

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply



MR16 MODULE 8W RGBW 1500.-

RGB+2700K



LED CHIP LED 24Vdc 8W

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply



LED PAR30L 15W

700.-

3000K, 4000K, 6000K



SMD CHIP LED 15W 1350lm

25°



Non-Dim



LED PAR30L 30W

1000.-

3000K, 4000K, 6000K



SMD CHIP LED 30W 2700lm

25°



Non-Dim




DOWNLIGHT


LUNA-RA MR11

300.-

DIA 50 mm. H 45 mm.

 LED Module MR11
Matt white trim

IP 20


 Adjustable
Matt white reflector




LUNA-RE

300.-

DIA 50 mm. H 45 mm.

 LED Module MR11
Matt black trim

IP 20

 Adjustable
Matt black reflector




DOWNLIGHT




BENN-RA MR11 **300.-**

DIA 65 mm. H 45 mm.

 LED Module MR11
Matt white trim


IP 20

 Adjustable
Matt white reflector




BENN-SA **300.-**

DIA 65x65 mm. H 45 mm.

 LED Module MR11
Matt white trim

IP 20

 Adjustable
Matt white reflector



DOWNLIGHT



JUNI-WH MR11

300.-

DIA 65 mm. H 35 mm.



LED Module MR11
Matt white trim

IP 20



Fixed
Matt black reflector



JUNI-BK MR11

300.-

DIA 65 mm. H 35 mm.




LED Module MR11
Matt black trim

IP 20



Fixed
Matt black reflector



DOWNLIGHT



ALIS-RW MR11

350.-

DIA 65 mm. H 28 mm.



LED Module MR11
Matt white trim

IP 20



Adjustable
Matt black reflector

ALIS-RB MR11

350.-

DIA 65 mm. H 28 mm.



LED Module MR11
Matt black trim

IP 20



Adjustable
Matt black reflector



DOWNLIGHT



ALIS-SW1 MR11

350.-

DIA 65x65 mm. H 45 mm.



LED Module MR11
Matt white trim

IP 20



Adjustable
Matt black reflector



ALIS-SW2 MR11

500.-

DIA 65x121 mm. H 45 mm.



LED Module MR11
Matt white trim


IP 20



Adjustable
Matt black reflector



DOWNLIGHT



ALIS-SB1 MR11 **350.-**

DIA 65x65 mm. H 45 mm.



LED Module MR11
Matt black trim

IP 20



Adjustable
Matt black reflector



ALIS-SB2 MR11 **500.-**

DIA 65x121 mm. H 45 mm.



LED Module MR11
Matt black trim

IP 20



Adjustable
Matt black reflector



DOWNLIGHT

EZY-RA

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass



EZY-RB

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt silver reflector
Accessories : Honeycomb, Frosted glass
Clear glass



EZY-RC

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Shiny reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



EZY-RD

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



EZY-RE

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt black trim

IP 20

- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass





EZY-SA

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Fixed
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

EZY-SB

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Fixed
Matt silver reflector
Accessories : Honeycomb, Frosted glass
Clear glass



EZY-SC

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



- Fixed
- Shiny reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass

EZY-SD

390.-

DIA 82x82 mm. H 50 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Fixed
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT



110

ECON-A

350.-

DIA 110 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Fixed
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

50

ECON-B

350.-

DIA 110 mm. H 50 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Fixed
Matt silver reflector
Accessories : Honeycomb, Frosted glass
Clear glass



110



50

ECON-C

350.-

DIA 110 mm. H 50 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Fixed
Shiny reflector
Accessories : Honeycomb, Frosted glass
Clear glass

50



110



CETRA-R

350.-

DIA 93 mm. H 41 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

CETRA-S

350.-

DIA 90x90 mm. H 41 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DEEP

400.-

DIA 107 mm. H 95 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

- Fixed
- Accessories : Honeycomb, Frosted glass
Clear glass

DOWNLIGHT



NEW



PELE-R

500.-

DIA 85 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Fully adjustable

PELE-S1

1000.-

DIA 85x85 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Fully adjustable



PELE-S2

1000.-

DIA 85x85 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Fully adjustable



DOWNLIGHT

ATOM-RWW

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SWW

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



ATOM-SWW2

900.-

DIA 102x185 mm. H 30 mm.



MR16x2/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SWB2

900.-

DIA 102x185 mm. H 30 mm.



MR16x2/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



ATOM-SBB2

900.-

DIA 102x185 mm. H 30 mm.



MR16x2/ GU10/ LED Module
Matt black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



ATOM-RBB

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt black trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SBB

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt black trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass





ATOM-RWB

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SWB

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass





MOBI-R

450.-

DIA 90 mm. H 60 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

MOBI-S1

450.-

DIA 90x90 mm. H 60 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



MOBI-RTL


600.-

DIA 92 mm. H 54 mm.

LED MR16x1/ GU10/ LED Module
Sand white/ Sand black

IP 20

- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



MOBI-STL1


600.-

DIA 92x92 mm. H 54 mm.

LED MR16x1/ GU10/ LED Module
Sand white/ Sand black

IP 20

- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



MOBI-STL2


1200.-

DIA 91.5x172 mm. H 56 mm.


LED MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



DOWNLIGHT



MELDA-R

500.-

DIA 105 mm. H 68 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black

IP 20



Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass

MELDA-S1

500.-

DIA 105x105 mm. H 68 mm.




MR16x1/ GU10/ LED Module
Sand white/ Sand black

IP 20



Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



MELDA-S2

1000.-

DIA 105x198 mm. H 68 mm.




MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20



Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



MOBI-S2

900.-

DIA 90x172 mm. H 60 mm.



MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
- Clear glass

ELLIP-R2

900.-

DIA 91.5x172.5 mm. H 53 mm.



MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT



ROTA-R

350.-

DIA 95 mm. H 35 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Adjustable

Accessories : Honeycomb, Hood

ROTA-S1

400.-

DIA 112x112 mm. H 38 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Adjustable

Accessories : Honeycomb, Hood



ROTA-S2

700.-

DIA 112x210 mm. H 38 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Adjustable

Accessories : Honeycomb, Hood



RIT-A

400.-

DIA 100 mm. H 56.5 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

RIT-B

400.-

DIA 92x92 mm. H 56.5 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



RIT-2B

800.-

DIA 92x185 mm. H 56.5 mm.



MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

DOWNLIGHT



CIVIK-1

500.-

DIA 105x105 mm. H 55 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Hood

CIVIK-2

750.-

DIA 105x185 mm. H 55 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Hood





HYBRID-RM

600.-


DIA 95 mm. H 108 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Fully adjustable
- Black reflector (anti glare)
- Accessories : Honeycomb, Frosted glass
- Clear glass



HYBRID-SM

600.-


DIA 95x95 mm. H 108 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Fully adjustable
- Black reflector (anti glare)
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT



HYBRID-RS

400.-

DIA 78 mm. H 75 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Fully adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass

HYBRID-SS

400.-

DIA 63 mm. H 31 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



JANEN-A

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt white reflector

Accessories : Honeycomb, Frosted glass
Clear glass



JANEN-B

500.-

DIA 85 mm. H 64 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Black mirror reflector

Accessories : Honeycomb, Frosted glass
Clear glass





JANEN-C

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Mirror reflector

Accessories : Honeycomb, Frosted glass
Clear glass



JANEN-D

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



NURA-A

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt white reflector

Accessories : Honeycomb, Frosted glass
Clear glass



NURA-B

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



NURA-C

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Mirror reflector
Accessories : Honeycomb, Frosted glass
Clear glass



NURA-D

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



NAMI-A

900.-


DIA 84 mm. H 118 mm.



MR16x1
Sand white trim

IP 20

- Adjustable
Matt silver reflector



NAMI-B

900.-


DIA 84 mm. H 117 mm.



MR16x1
Sand white trim

IP 20

- Fixed
Matt silver reflector





CALI-S1

800.-

DIA 105x105 mm. H 80 mm.



MR16x1/ GU10
Sand white/ Sand black trim

IP 20



Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass



CALI-S2

1500.-

DIA 105x205 mm. H 80 mm.



MR16x1/ GU10
Sand white/ Sand black trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



MANA-S1A

500.-

DIA 89×89 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt white reflector

Accessories : Honeycomb, Frosted glass
Clear glass



MANA-S1B

500.-

DIA 89×89 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt black reflector

Accessories : Honeycomb, Frosted glass
Clear glass



MANA-S1C

500.-

DIA 89×89 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Mirror reflector

Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT

DOWNLIGHT



MANA-S2A

1000.-

DIA 89×164 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

MANA-S2B

1000.-

DIA 89×164 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



MANA-S2C

1000.-

DIA 89×164 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Mirror reflector
Accessories : Honeycomb, Frosted glass
Clear glass




DOWNLIGHT

DOWNLIGHT


SELENA-A


950.-

DIA 115 mm. H 143 mm.

 MR16x1
Sand white trim

IP 20


 Adjustable
Shiny reflector



SELENA-B


950.-

DIA 115 mm. H 130 mm.

 MR16x1
Sand white trim

IP 20

 Fixed
Shiny reflector



DOWNLIGHT



PLAST-R

300.-

DIA 80 mm. H 42 mm.



MR16x1/ GU10/ LED Module
Sand white trim

IP 20



Fixed

Accessories : Honeycomb, Frosted glass
Clear glass

PLAST-S1

300.-

DIA 76x76 mm. H 42 mm.



MR16x1/ GU10/ LED Module
Sand white trim

IP 20



Fixed

Accessories : Honeycomb, Frosted glass
Clear glass



PLAST-S2

600.-

DIA 76x159 mm. H 42 mm.



MR16x2/ GU10/ LED Module
Sand white trim

IP 20



Fixed

Accessories : Honeycomb, Frosted glass
Clear glass

DOWNLIGHT



PINN-A

390.-

DIA 90 mm. H 55 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb

PINN-B

390.-

DIA 90 mm. H 55 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Fixed
Accessories : Honeycomb



DOWNLIGHT

NOVA-A

600.-

DIA 90 mm. H 73 mm.




MR16x1/ GU10
Sand white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass



NOVA-B

600.-

DIA 90 mm. H 73 mm.




MR16x1/ GU10
Sand white trim

IP 20



Fixed
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



HYDRA-R **600.-**

DIA 90 mm. H 100 mm.




MR16x1
Sand white trim

IP 44



Fixed
Frosted glass cover



HYDRA-S **600.-**

DIA 90x90 mm. H 88 mm.




MR16x1
Sand white trim

IP 44



Fixed
Frosted glass cover



DOWNLIGHT



FOGG-WH

500.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module
Matt white trim



Fixed
Frosted glass cover



FOGG-BK

500.-

DIA 85 mm. H 45 mm.




MR16x1/ GU10/ LED Module
Matt black trim

IP 44



Fixed
Frosted glass cover



DOWNLIGHT



LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 65



Fixed
Clear glass cover

MIST-R

450.-

DIA 85 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 44



Fixed
Frosted glass cover



HYDRO

1000.-

DIA 100 mm. H 96 mm.



GU10x1
Matt white/ Matt black trim

IP 65




Fixed
Clear glass cover


DOWNLIGHT


TRIM-S1 MR16

800.-

DIA 108x108 mm. H 87.5 mm.

 MR16x1/ LED Module
Sand white/ Sand black trim
Sand black ring


 Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.





TRIM-S2 MR16

1450.-

DIA 108x200 mm. H 87.5 mm.

 MR16x2/ LED Module
Sand white/ Sand black trim
Sand black ring


 Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.





TRIM-S3 MR16

1950.-

DIA 108x288 mm. H 87.5 mm.

 MR16x3/ LED Module
Sand white/ Sand black trim
Sand black ring

 Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.



DOWNLIGHT



TRIMLESS-S1

950.-

DIA 95x95 mm. H 85 mm.




MR16x1/ LED Module
Sand white/ Sand black

IP 20



Trimless style
Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



TRIMLESS-S2

1650.-

DIA 95x185 mm. H 85 mm.




MR16x2/ LED Module
Sand white/ Sand black

IP 20



Trimless style
Fully adjustable
Accessories : Honeycomb
Clear glass



TRIMLESS-S3

2250.-

DIA 95x275 mm. H 85 mm.




MR16x3/ LED Module
Sand white/ Sand black trim

IP 20



Trimless style
Fully adjustable


Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



113



85

RIM-A

900.-

DIA 85 mm. H 113 mm.



MR16x1
Matt white trim

IP 20

- Fixed
Shiny reflector

RIM-B

900.-

DIA 85 mm. H 113 mm.




MR16x1
Matt white trim

IP 20

- Fixed
Matt black reflector



113



85

RIM-C

900.-

DIA 85 mm. H 113 mm.




MR16x1/
Matt white trim

IP 20

- Fixed
Matt white reflector



113



85



DEPT-R

600.-

DIA 90 mm. H 85 mm.




MR16x1/ GU10/ LED Module
Sand white trim

IP 20



Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



DEPT-S

600.-

DIA 90x90 mm. H 85 mm.




MR16x1/ GU10/ LED Module
Sand white trim

IP 20



Fully adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



AXE-S1

700.-

DIA 125x125 mm. H 150 mm.



MR16x1
Sand white/ Sand black trim

IP 20

● Adjustable

AXE-S2

1350.-

DIA 125x220 mm. H 150 mm.



MR16x2
Sand white/ Sand black trim

IP 20

● Adjustable




DOWNLIGHT




TOMI-A


600.-

DIA 88 mm. H 110 mm.

 MR16x1
Sand white trim

IP 20


 Adjustable
Matt white reflector




TOMI-B


600.-

DIA 88 mm. H 110 mm.

 MR16x1
Sand white trim

IP 20

 Adjustable
Matt silver reflector



DOWNLIGHT



TOMI-C

600.-


DIA 88 mm. H 110 mm.



MR16x1
Sand white trim

IP 44

- Adjustable
Frosted glass cover



TOMI-D

600.-


DIA 88 mm. H 110 mm.



MR16x1
Sand white trim

IP 20

- Adjustable
Matt black reflector




DOWNLIGHT




WINK-A


600.-

DIA 107 mm. H 103 mm.

 MR16x1
Matt white trim

IP 20


 Adjustable
Shiny reflector




WINK-B


600.-


DIA 107 mm. H 103 mm.

 MR16x1
Matt white trim

IP 20

 Fixed
Shiny reflector





DENN

500.-

DIA 90 mm. H 59 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20



Adjustable

Accessories : Honeycomb, Frosted glass
Clear glass

PULLER

1000.-

DIA 100 mm. H 100 mm.




GU10x1
Sand white/ Sand black

IP 20



Fully adjustable





VICTOR

600.-

DIA 153 mm. H 57 mm.




AR111x1
Matt white trim

IP 20



Fixed



FOCAL

500.-

DIA 68 mm. H 55 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20



Fixed



DOWNLIGHT



TRIM-XR

950.-

DIA 170 mm. H 70 mm.



AR111x1
Sand white trim

IP 20

● Adjustable

TRIM-L1

1000.-

DIA 173x173 mm. H 115 mm.



AR111x1
Matt white trim

IP 20

● Fully adjustable



TRIM-L2

1850.-

DIA 173x320 mm. H 115 mm.



AR111x2
Matt white trim

IP 20

● Fully adjustable



DOWNLIGHT



SNOW-R

750.-

DIA 180 mm. H 28 mm.

LED
AR111x1
Sand white trim

IP 20

Adjustable

SNOW-S1

750.-

DIA 180x180 mm. H 28 mm.

LED
AR111x1
Sand white trim

IP 20

Adjustable



SNOW-S2

1500.-

DIA 180x356 mm. H 28 mm.

LED
AR111x2
Sand white trim

IP 20

Adjustable

DOWNLIGHT



SNOOT-R

600.-

DIA 175 mm. H 120-150 mm.

LED PAR30S/ PAR30Lx1
Matt white trim

IP 20

● Fully adjustable

LUXX-PAR30

650.-

DIA 135 mm. H 140-180 mm.

LED PAR30S/ PAR30Lx1
Sand white/ Sand black trim

IP 20

● Fixed



HEX-PAR30

650.-

DIA 125x125 mm. H 140-180 mm.

LED PAR30S/ PAR30Lx1
Sand white/ Sand black trim

IP 20

● Fixed



DOWNLIGHT



SAKURA-R

1000.-

DIA 170 mm. H 53 mm.



AR111x1
Sand white trim

IP 20

● Fully adjustable

SAKURA-S1

1000.-

DIA 170x170 mm. H 53 mm.



AR111x1
Sand white trim

IP 20

● Fully adjustable



SAKURA-S2

2000.-

DIA 170x325 mm. H 50 mm.



AR111x2
Sand white trim

IP 20

● Fully adjustable

DOWNLIGHT



HEX-S2-WH PAR30

100.-

DIA 125×225 mm. H 140-180 mm.



PAR30S/ PAR30Lx1
Sand white

IP 20

● Fixed

HEX-S2-BK PAR30

100.-

DIA 125×225 mm. H 140-180 mm.




PAR30S/ PAR30Lx1
Sand black trim

IP 20

● Fixed



DOWNLIGHT



SNOOT-PR1


1000.-

DIA 180x180 mm. H 200 mm.



PAR30S/ PAR30Lx1
Sand white trim

IP 20

 Adjustable

SNOOT-PR2


2000.-

DIA 180x347 mm. H 200 mm.



PAR30S/ PAR30Lx2
Sand white trim

IP 20

 Adjustable



DOWNLIGHT



COLIN-R

400.-

DIA 108 mm. H 30 mm.



GX53
Matt white trim

IP 20



Fixed
PC Body



COLIN-S

400.-

DIA 83 mm. H 24 mm.



GX53
Matt white trim

IP 20



Fixed
PC Body



DOWNLIGHT

DOWNLIGHT E27



HEX-SWW

550.-

DIA 125x125 mm. H 170 mm.



E27x1
Sand white trim/ White inside

IP 20



Fixed
Matt silver reflector

HEX-SWB

600.-

DIA 125x125 mm. H 170 mm.



E27x1
Sand white trim/ Black inside

IP 20



Fixed
Matt silver reflector



HEX-SBB

550.-

DIA 125x125 mm. H 170 mm.



E27x1
Sand black trim/ Black inside

IP 20



Fixed
Matt silver reflector





HEX-SWW2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2
Sand white trim/ White inside

IP 20

- Adjustable
Matt silver reflector

HEX-SBB2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2
Sand black trim/ Black inside

IP 20

- Adjustable
Matt silver reflector



DOWNLIGHT E27



HEX-MWW

650.-

DIA 145x145 mm. H 225 mm.



E27x1
Sand white trim/ White inside

IP 20



Fixed
Matt silver reflector

HEX-MWB

700.-

DIA 145x145 mm. H 225 mm.



E27x1
Sand white trim/ Black inside

IP 20



Fixed
Matt silver reflector



HEX-MBB

650.-

DIA 145x145 mm. H 225 mm.



E27x1
Sand black trim/ Black inside

IP 20



Fixed
Matt silver reflector



HEX-MWW2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2
Sand white trim/ White inside

IP 20

- Fixed
Matt silver reflector

HEX-MBB2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2
Sand black trim/ Black inside

IP 20

- Fixed
Matt silver reflector





LUXX-SWW

550.-

DIA 135 mm. H 170 mm.



E27x1
Sand white trim/ White inside

IP 20



Fixed
Matt silver reflector

LUXX-SWB

600.-

DIA 135 mm. H 170 mm.



E27x1
Sand white trim/ Black inside

IP 20



Fixed
Matt silver reflector



LUXX-SBB

550.-

DIA 135 mm. H 170 mm.



E27x1
Sand black trim/ Black inside

IP 20



Fixed
Matt silver reflector





LUXX-MWW

650.-

DIA 155 mm. H 220 mm.



E27x1
Sand white trim/ White inside

IP 20

- Fixed
Matt silver reflector

LUXX-MWB

700.-

DIA 155 mm. H 220 mm.



E27x1
Sand white trim/ Black inside

IP 20

- Fixed
Matt silver reflector



LUXX-MBB

650.-

DIA 155 mm. H 220 mm.



E27x1
Sand black trim/ Black inside

IP 20

- Fixed
Matt silver reflector



SNOOT-S1

800.-

DIA 145x145 mm. H 150 mm.



E27x1
Sand white trim/ Black ring

IP 20

- Fully adjustable
Matt silver reflector

SNOOT-S2

1500.-

DIA 145x275 mm. H 150m mm.



E27x2
Sand white trim/ Black ring

IP 20

- Fully adjustable
Matt silver reflector



DOWNLIGHT E27



SNOOT-L1

1000.-

DIA 170x170 mm. H 200 mm.



E27x1
Sand white trim/ Black ring

IP 20

- Fully adjustable
Matt silver reflector

SNOOT-L2

1950.-

DIA 170x325 mm. H 200mm.



E27x2
Sand white trim/ Black ring

IP 20

- Fully adjustable
Matt silver reflector





TEDD-R

450.-

DIA 137 mm. H 160-190 mm.



E27x1
Matt white trim

IP 20



Fixed
Matt white reflector

TEDD-R BK

450.-

DIA 137 mm. H 160-190 mm.



E27x1
Matt black trim

IP 20



Fixed
Matt black reflector



DOWNLIGHT E27



COSMO-S

450.-

DIA 103 mm. H 145 mm.



E27x1
Sand white trim

IP 20



Fixed
Matt silver reflector

COSMO-M

550.-

DIA 135 mm. H 175 mm.



E27x1
Sand white trim

IP 20



Fixed
Matt silver reflector



COSMO-L

650.-

DIA 170 mm. H 180 mm.



E27x1
Sand white trim

IP 20



Fixed
Matt silver reflector



DUFF-S1

400.-

DIA 128x128 mm. H 162 mm.



E27x1
Sand white trim

IP 20



Fixed
Shiny silver reflector

DUFF-S2

700.-

DIA 128x237 mm. H 162 mm.



E27x2
Sand white trim

IP 20



Fixed
Shiny silver reflector



DOWNLIGHT E27



DOME-MG

700.-

DIA 150 mm. H 190 mm.



E27x1
Sand white trim

IP 44

- Fixed
Matt silver reflector
Frosted glass cover

VELL-S

700.-

DIA 125x125 mm. H 175 mm.



E27x1
Sand white trim

IP 44

- Fixed
Frosted glass cover



DOWNLIGHT E27



DOME-M

150.-

DIA 146 mm. H 140 mm.



E27x1
Sand white trim

IP 20



Fixed
Shiny silver reflector

DOME-L

200.-

DIA 177 mm. H 150 mm.



E27x1
Sand white trim

IP 20



Fixed
Shiny silver reflector



DOWNLIGHT E27

LED DOWNLIGHT



MINI 3W

750.-

DIA 52 mm. H 25 mm.



CREE CHIP LED 3W 260lm



3000K, 4000K, 6000K

Matt white/ Matt black/ Silver



Adjustable
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

MINI-D 3W

1000.-

DIA 52 mm. H 35 mm.



LED COB 3W 260lm



3000K, 4000K

Sand white/ Sand black trim




Adjustable
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20





ROBO 3W

1200.-

DIA 40 mm. H 65 mm.



CREE CHIP LED 3W 255lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

VEX 1W

800.-

DIA 25 mm. H 30 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



NOX 1W

800.-

DIA 40 mm. H 34.5 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



RIZ 3W

750.-

DIA 40 mm. H 50 mm.



CREE CHIP LED 3W 260lm



3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

FOCUS 3W

850.-

DIA 48 mm. H 37 mm.



CREE CHIP LED 3W 260lm



3000K, 6000K

Matt white, Matt black trim



Fully adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20



LED DOWNLIGHT

DOSS 1.5W

600.-

DIA 35 mm. H 22 mm.



LED COB 1.5W 140lm



3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

BAM 3W

600.-

DIA 42 mm. H 33 mm.



LED COB 3W 260lm



3000K, 4000K

Sand white/ Sand black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

NEW



NEW



JORO 3W

800.-

DIA 40 mm. H 57 mm.



LED COB 3W 150lm



3000K, 4000K

Sand white/ Sand black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

LED DOWNLIGHT



JOOX-A 3W

750.-

DIA 50 mm. H 30 mm.



CREE CHIP LED 3W 265lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

JOOX-B 3W

750.-

DIA 40 mm. H 28 mm.



CREE CHIP LED 3W 265lm



3000K, 4000K
Matt white trim

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





CONIX 5W

750.-

DIA 50 mm. H 50 mm.



CREE CHIP LED 5W 405lm



3000K, 4000K

Matt white/ Matt black trim

IP 20



Adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BETA 6W

1000.-

DIA 58 mm. H 60 mm.



CREE CHIP LED 6W 495lm



3000K, 4000K

Matt white trim

IP 20



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



BEEM-S 2W 10D-60D

800.-

DIA 42 mm. H 17.8 mm.



CREE CHIP LED 2W 145lm

10-60° 3000K, 4000K, 6000K

Matt white/ Matt black trim

IP 20



Adjustable


Zoomable 10D-60D

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



BEEM-M 6W 5D-45D 1750.-

DIA 74 mm. H 40 mm.



CREE CHIP LED 6W 515lm

5-45° 3000K, 4000K, 6000K

Matt white/ Matt black trim

IP 20



Adjustable


Zoomable 10D-60D

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



AURA-S 8W

1200.-

DIA 72 mm. H 76 mm.



LED COB 8W 685lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

AURA-M 15W

1650.-

DIA 88 mm. H 88 mm.



LED COB 15W 1312lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





ERON-R 2x5W

1750.-

DIA 107 mm. H 65 mm.




BRIDGELUX 2x5W 2x405lm

3000K, 4000K

Matt white/ Matt black trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



ERON-S 2x5W

1750.-

DIA 58 mm. H 60 mm.




BRIDGELUX 2x5W 2x405lm

3000K, 4000K

Matt white/ Matt black trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



NEWTON-S 9W

950.-

DIA 85 mm. H 53 mm.



LED COB 9W 810lm



3000K, 4000K
Matt white trim

IP 20

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NEWTON-M 18W

1750.-

DIA 110 mm. H 75 mm.



LED COB 18W 1600lm



3000K, 4000K, 6500K
Matt white trim

IP 20

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



NEWTON-L 30W

3150.-

DIA 150 mm. H 100 mm.



LED COB 30W 2700lm



3000K, 4000K, 6500K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

NEWTON-XL 40W

3500.-

DIA 160 mm. H 140 mm.



LED COB 40W 3200lm



3000K, 4000K, 6500K
Matt white trim


IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



PITT-S 12W

1500.-

DIA 85 mm. H 73 mm.



LED COB 12W 1026lm
3000K, 4000K
Matt white trim

IP 20

- Fixed
Wall washer downlight
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

PITT-M 20W

2000.-


DIA 105 mm. H 97 mm.



LED COB 20W 1710lm
3000K, 4000K
Matt white trim

IP 20

- Fixed
Wall washer downlight
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BETAGA-M 5x2W

1350.-

DIA 45x147 mm. H 49 mm.



LED COB 5x2W 890lm

3000K, 4000K

Matt white trim



Fixed

Recessed type

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BETAGA-L 10x2W

2500.-

DIA 45x280 mm. H 49 mm.



LED COB 10x2W 1780lm

3000K, 4000K

Matt white trim



Fixed

Recessed type

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



BETAGA-XL 15x2W

3600.-

DIA 45x415 mm. H 49 mm.



LED COB 15x2W 2670lm

3000K, 4000K

Matt white trim



Fixed

Recessed type

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



TESLA-RM 18W

1000.-

DIA 150 mm. H 50 mm.



LED SMD 18W 1710lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TESLA-SM 18W

1000.-

DIA 145x145 mm. H 50 mm.



LED SMD 18W 1710lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





TESLA-RL 24W

1200.-

DIA 170 mm. H 50 mm.



LED SMD 24W 2400lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TESLA-SL 24W

1200.-

DIA 165x165 mm. H 50 mm.



LED SMD 24W 2400lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



POTTER-S 9W

800.-

DIA 115 mm. H 80 mm.



LED SMD 9W 582lm

3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

POTTER-M 15W

1200.-

DIA 140 mm. H 85 mm.



LED SMD 15W 955lm

3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



POTTER-L 21W

1500.-

DIA 165 mm. H 100 mm.



LED SMD 21W 1440lm

3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



PANA-S 12W

800.-

DIA 90 mm. H 56 mm.



LED SMD 12W 720lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

PANA-M 20W

1500.-

DIA 130 mm. H 72 mm.



LED SMD 20W 1700lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



PANA-L 30W

1800.-

DIA 160 mm. H 82 mm.



LED SMD 30W 2550lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



EMIT-RM 15W

1500.-

DIA 115 mm. H 120 mm.



CREE CHIP LED 15W 1310lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

EMIT-S1 15W

1500.-

DIA 115x115 mm. H 120 mm.



CREE CHIP LED 15W 1310lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



EMIT-S2 2x15W

3000.-

DIA 115x210 mm. H 120 mm.



CREE CHIP LED 2x15W 2610lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



MATT-M 15W

2000.-

DIA 159x159 mm. H 65 mm.



LED SMD 15W 1170lm

120° 3000K,
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

MATT-L 25W

3350.-

DIA 195x195 mm. H 75 mm.



LED SMD 25W 1950lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





TRIM-S1 10W

1800.-

DIA 108x108 mm. H 87.5 mm.



CREE CHIP LED 10W 830lm



3000K, 4000K, 6000K
Sand white trim



Adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20

TRIM-S2 2x10W

3500.-

DIA 108x200 mm. H 87.5 mm.



CREE CHIP LED 2x10W 1660lm



3000K, 4000K, 6000K
Sand white trim



Adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20



LED DOWNLIGHT



TRIM-M1 18W

3000.-

DIA 135x135 mm. H 110 mm.



CREE CHIP LED 18W 1312lm



3000K, 4000K
Sand white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TRIM-M2 2x18W

5000.-

DIA 135x267 mm. H 110 mm.



CREE CHIP LED 2x18W 2691lm



3000K, 4000K
Sand white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



MARA-RM 12W

2000.-

DIA 115 mm. H 115 mm.




CREE CHIP LED 12W 920lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MARA-RL 18W

3000.-

DIA 153 mm. H 150 mm.




CREE CHIP LED 18W 1403lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





MARA-SM 12W

2000.-

DIA 114x114 mm. H 114 mm.




CREE CHIP LED 12W 920lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MARA-SL 18W

3000.-

DIA 154.5x154.5 mm. H 150 mm.




CREE CHIP LED 18W 1403lm




3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





LUCAS-RS 7W

1200.-

DIA 82 mm. H 92 mm.



CREE CHIP LED 7W 577lm



3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

LUCAS-RM 12W

1650.-

DIA 108 mm. H 130 mm.



CREE CHIP LED 12W 920lm




3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LUCAS-RL 18W

2500.-

DIA 133 mm. H 160 mm.



CREE CHIP LED 18W 1393lm




3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional





LUCAS-SS 7W

1200.-

DIA 90x90 mm. H 94.5 mm.




CREE CHIP LED 7W 577lm



3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LUCAS-SM 12W

1650.-

DIA 115x115 mm. H 115 mm.



CREE CHIP LED 12W 920lm




3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LUCAS-SL 18W

2500.-

DIA 140x140 mm. H 152 mm.




CREE CHIP LED 18W 1430lm



3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LUZE-M 15W

2000.-

DIA 110 mm. H 100 mm.



PHILIPS CHIP LED 15W 1219lm



3000K, 4000K
Matt white trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

LUZE-L 20W

2500.-

DIA 140 mm. H 147 mm.



PHILIPS CHIP LED 20W 1626lm



3000K, 4000K
Matt white trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20





WALLY-S 12W

1500.-

DIA 108 mm. H 100 mm.



LED COB 12W 1026lm
3000K, 4000K
Matt white trim

IP 20

- Fixed
- Wall washer downlight
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

WALLY-M 20W

2000.-

DIA 108 mm. H 100 mm.



LED COB 20W 1710lm
3000K, 4000K
Matt white trim

IP 20

- Fixed
- Wall washer downlight
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





NANO-R 10W

2150.-

DIA 90 mm. H 77 mm.




CREE CHIP LED 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



NANO-S 10W

2150.-

DIA 90x90 mm. H 77 mm.




CREE CHIP LED 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



TITAN-S 10W

1800.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm

3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

TITAN-M 20W

2150.-

DIA 106 mm. H 98 mm.



CREE CHIP LED 20W 1455lm

3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



JAZZ 7W

800.-

DIA 70 mm. H 55 mm.



LED SMD 7W 550lm

120° 3000K, 4000K
Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

ALTER 10W

1200.-

DIA 72 mm. H 80 mm.



LED COB 10W 790lm

36° 3000K, 4000K
Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



MOON 15W

1000.-

DIA 140 mm. H 75 mm.



LED SMD 15W 1312lm

120° 3000K, 4000K
Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

LED DOWNLIGHT

NORI 10W

1500.-



DIA 85 mm. H 70 mm.



LED COB 10W 890lm



3000K, 4000K

Matt white/ matt black

IP 20

- Adjustable
- Accessories : Sling Hanging Wire Kit
- Aluminium Body
- Driver included
- Non-Dim

ZATO 20W

2000.-

DIA 65 mm. H 115 mm.



LED COB 20W 1850lm



3000K, 4000K

Matt white/ matt black

IP 20

- Fixed
- Zoomable 10D-55D
- Accessories : Sling Hanging Wire Kit
- Aluminium Body
- Driver included
- Non-Dim



LED DOWNLIGHT



MARVEL S1 12W

1350.-

DIA 106x106 mm. H 100 mm.



LED COB 12W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim

MARVEL S2 2x12W

2500.-

DIA 106x203 mm. H 100 mm.



LED COB 2x12W 1980lm


3000K, 4000K

Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim



LED DOWNLIGHT



CATT 12W

1200.-

DIA 78 mm. H 150 mm.



LED COB 12W 890lm

3000K, 4000K

Matt black/ Matt white

IP 20



- Surface mounted type
- Adjustable
- Aluminium Body
- Driver included
- Non-Dim

FORA 12W

1200.-

DIA 100 mm. H 100 mm.



LED COB 12W 890lm

3000K, 4000K

Matt black/ Matt white

IP 20



- Surface mounted type
- Adjustable
- Aluminium Body
- Driver included
- Non-Dim



LED DOWNLIGHT



BRUNO

2000.-

DIA 92 mm. H 100 mm.



LED COB 15W 1350lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim





BENITO-M 10W

1500.-

DIA 33x60 mm. L 270 mm.



LED SMD 10W 890lm

3000K, 4000K

Matt white/ matt black

IP 20




Fixed

Aluminium Body

Driver included

Non-Dim



BENITO-L 20W

2500.-

DIA 33x60 mm. L 535 mm.



LED SMD 20W 1780lm

3000K, 4000K

Matt white/ matt black

IP 20




Fixed

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT

NEW



BETINI-S 5x1W

1200.-

DIA 33x60 mm. L 138 mm.



LED COB 5x1W 445lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Aluminium Body

Driver included

Non-Dim

BETINI-M 10x1W

1500.-

DIA 33x60 mm. L 270 mm.



LED COB 10x1W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Aluminium Body

Driver included

Non-Dim



NEW

BETINI-L 20x1W

2500.-

DIA 33x60 mm. L 535 mm.



LED COB 20x1W 1780lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Aluminium Body


Driver included

Non-Dim

NEW



LED DOWNLIGHT



KATO-S 5x2W

2000.-

DIA 33x138 mm. H 95 mm.



LED COB 5x2W 800lm

3000K, 4000K



Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim

KATO-M 10x2W

3000.-

DIA 33x270 mm. H 95 mm.



LED COB 10x2W 1600lm

3000K, 4000K



Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim





BEBETO-M 10W

2500.-

DIA 50x273 mm. H 42 mm.



LED SMD 10W 890lm



3000K, 4000K
Matt black

IP 20



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BEBETO-L 20W

3500.-

DIA 50x540 mm. H 42 mm.



LED SMD 20W 1780lm



3000K, 4000K
Matt black

IP 20



Fixed

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BELINA-M 10W

2500.-

DIA 50x273 mm. H 42 mm.



LED COB 10W 890lm

3000K, 4000K
Matt black

IP 20



Fixed
Recessed type
Trimless design
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

BELINA-L 20W

3500.-

DIA 50x540 mm. H 42 mm.



LED COB 20W 1780lm

3000K, 4000K
Matt black

IP 20



Fixed
Recessed type
Trimless design
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BELETTA-M 10W

2500.-

DIA 42x278 mm. H 50 mm.



LED SMD 10W 890lm



3000K, 4000K
Matt white trim

IP 20



Fixed

Recessed type
Aluminium Body
Driver included
Non-Dim

Dimmable (0-10V/ Triac) Optional

BELETTA-L 20W

3500.-

DIA 42x545 mm. H 50 mm.



LED SMD 20W 1780lm



3000K, 4000K
Matt white trim

IP 20



Fixed

Recessed type
Aluminium Body
Driver included
Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



GENIE-S

3000.-

DIA 152×50 mm. H 90 mm.



LED COB 5x2W 600lm

3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Surface mounted type

Aluminium Body

Driver included

Non-Dim



GENIE-R

3000.-

DIA 160×58 mm. H: 46 mm.

LED COB 5x2W 600lm

3000K, 4000K

Matt white/ matt black

IP 65

Fixed

Recessed type

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT

The background features a vertical gradient from light yellow at the top to dark green at the bottom. A faint grid pattern is overlaid on the entire image. The text is centered horizontally and vertically.

SURFACE MOUNTED DOWNLIGHT



MINI CORE-R

750.-

DIA 80 mm. H 84 mm.



GU10x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb



MINI CORE-S

750.-

DIA 80x80 mm. H 84 mm.



GU10x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb



DOWNLIGHT



CORE-R

900.-

DIA 96 mm. H 125 mm.



GU10x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb

CORE-S

900.-

DIA 96x96 mm. H 125 mm.



GU10x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb



DOWNLIGHT



SOREN-S1

1000.-

DIA 100x100 mm. H 100 mm.



GU10x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb

SOREN-S2

2000.-

DIA 100x195 mm. H 100 mm.



GU10x2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Frosted glass
Clear glass, Honeycomb



DOWNLIGHT



CASE-S1 MR16

700.-

DIA 100x100 mm. H 115 mm.



MR16x1
Matt white/ Matt black

IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit

CASE-S2 MR16

1250.-

DIA 100x200 mm. H 115 mm.



MR16x2
Matt white/ Matt black


IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



HONE-1

1200.-

DIA 90x104 mm. H 110 mm.



GU10x1
Sand white/ Sand black

IP 20

● Fixed

HONE-2

2000.-



DIA 180x104 mm. H 110 mm.



GU10x2
Sand white/ Sand black

IP 20

● Fixed



DOWNLIGHT



MODE-RS

600.-

DIA 80 mm. H 95 mm.



GU10x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SS

600.-

DIA 82.5x82.5 mm. H 95 mm.



GU10x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RM

750.-

DIA 96 mm. H 127 mm.



PAR20x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SM

750.-

DIA 100x100 mm. H 130 mm.



PAR20x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RL

850.-

DIA 115 mm. H 137 mm.



PAR30Sx1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SL

850.-

DIA 120x120 mm. H 137 mm.



PAR30Sx1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RXL

1150.-

DIA 145 mm. H 175 mm.



PAR30L/ PAR38x1
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

MODE-SXL

1150.-

DIA 145x145 mm. H 175 mm.



PAR30L/ PAR38x1
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-L1 AR111

1000.-

DIA 145×145 mm. H 160 mm.



AR111x1
Sand white/ Sand black

IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit

CASE-L2 AR111

1850.-

DIA 145×278 mm. H 160 mm.



AR111x2
Sand white/ Sand black

IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-S1 E27

800.-

DIA 120×120 mm. H 180 mm.



E27x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit

CASE-S2 E27

1500.-

DIA 120×260 mm. H 180 mm.



E27x2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-L1 E27

1000.-

DIA 120×120 mm. H 180 mm.



E27x1
Sand white/ Sand black

IP 20

- Adjustable
- Accessories : Sling Hanging Wire Kit

CASE-L2 E27

1850.-

DIA 120×260 mm. H 180 mm.



E27x2
Sand white/ Sand black

IP 20

- Adjustable
- Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-PR1 PAR30

1200.-

DIA 155×155 mm. H 200 mm.



PAR30S/ PAR30Lx1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit

CASE-PR2 PAR30

2000.-

DIA 155×320 mm. H 200 mm.



PAR30S/ PAR30Lx2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit




DOWNLIGHT




JADEN-R

1500.-

DIA 90 mm. H 120 mm.

 GU10x1 Max.50W
Sand black


IP 54

 Fixed
Aluminium Body
Clear glass cover


JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.

 GU10x1 Max.50W
Sand black

IP 54

 Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



LINDA-R

1500.-

DIA 90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover

LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover



DOWNLIGHT



HUGO-R

1800.-

DIA 110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover

HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W
Sand black



Fixed
Aluminium Body
Frosted glass cover

COLIN-S

400.-

DIA 83 mm. H 24 mm.



GX53
Matt white trim

IP 20



Fixed
PC Body



DOWNLIGHT



JAZZ

800.-

DIA 70 mm. H 55 mm.



LED COB 7W 550lm



3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

MOON

1000.-

DIA 140 mm. H 75 mm.



LED SMD 15W 1312lm



3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT

NEW



FORA

1200.-

DIA 100 mm. L 100 mm.



LED COB 12W 890lm

3000K, 4000K
Matt white/ matt black

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim

ALTER

1200.-

DIA 72 mm. L 80 mm.



LED COB 10W 790lm

3000K, 4000K
Matt white/ matt black

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim

NEW



NEW



CATT

1200.-

DIA 78 mm. L 150 mm.



LED COB 12W 890lm

3000K, 4000K
Matt white/ matt black

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim

DOWNLIGHT



NORI

1500.-

DIA 85 mm. H 70 mm.



LED COB 10W 890lm



3000K, 4000K

Matt white/ matt black

IP 20



Adjustable

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

ZATO

2000.-

DIA 65 mm. H 115 mm.



LED COB 20W 1850lm



3000K, 4000K

Matt white/ matt black

IP 20



Zoomable 10D-55D


Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



10° - 55° Zoomable

DOWNLIGHT



ERON-S

1750.-

DIA 98 mm. H 112 mm.



LED COB 2x5W 2x405lm



3000K, 4000K

Matt white/ matt black

IP 20

- Adjustable
- Accessories : Sling Hanging Wire Kit
- Aluminium Body
- Driver included
- Non-Dim

GENIE-S

3000.-

DIA 152x50 mm. H 90 mm.



LED COB 5x2W 600lm



3000K, 4000K

Matt white/ matt black

IP 65

- Fixed
- Aluminium Body
- Driver included
- Non-Dim



DOWNLIGHT

NEW



MARVEL-S1

1350.-

DIA 106x106 mm. H 100 mm.



LED COB 12W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim

MARVEL-S2

2500.-

DIA 106x203 mm. H 100 mm.



LED COB 2x12W 1980lm

3000K, 4000K


Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim

NEW



DOWNLIGHT



BRUNO

2000.-

DIA 92 mm. H 100 mm.



LED COB 15W 1350lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



BETINI-S

1200.-

DIA 33x60 mm. L 138 mm.



LED COB 5x1W 445lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim

BETINI-M

1500.-

DIA 33x60 mm. L 270 mm.



LED COB 10x1W 890lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim



BETINI-L

2500.-

DIA 33x60 mm. L 535 mm.



LED COB 20x1W 1780lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim



DOWNLIGHT



BENITO-M

1500.-

DIA 33x60 mm. L 270 mm.




LED SMD 10W 890lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim



BENITO-L

2500.-

DIA 33x60 mm. L 535 mm.




LED SMD 20W 1780lm

3000K, 4000K
Matt white/ matt black


IP 20



Fixed
Aluminium Body
Driver included
Non-Dim



DOWNLIGHT



KATO-S

2000.-

DIA 33x138 mm. H 95 mm.



LED COB 5x2W 800lm

3000K, 4000K

Matt black/ Matt white



IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim

KATO-M

3000.-

DIA 33x270 mm. H 95 mm.



LED COB 10x2W 1600lm



3000K, 4000K

Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim



DOWNLIGHT



JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
Aluminium body
PC diffuser



JACEY-S

1800.-


DIA 270x270 mm D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
Aluminium body
PC diffuser



DOWNLIGHT



KERRI-B

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Clear glass cover

NINA

1500.-

DIA 57 mm. L 123 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Frosted glass cover



NEW



SWIVEL

2250.-

DIA 60 mm. L 90 mm.



GU10x1 Max. 50W
Sand black

IP 65

- Adjustable
Aluminium Body
Clear glass cover

DOWNLIGHT

90°

The background features a vertical gradient from light yellow at the top to dark green at the bottom. A faint grid of thin lines is overlaid on this gradient. In the lower half, several diagonal bands of varying shades of green cut across the grid from the bottom-left towards the top-right.

OUTDOOR DOWNLIGHT

LINDA-R

1500.-

DIA 90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover

LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.



GU10x1 Max.50W
Sand black/ Sand white

IP 65



Fixed
Aluminium Body
Frosted glass cover



DOWNLIGHT



JADEN-R

1500.-

DIA 90 mm. H 120 mm.



GU10x1 Max.50W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover

JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.



GU10x1 Max.50W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



HUGO-R

1800.-

DIA 110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover

HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.



E27x1 Max. 60W
Sand black

IP 54



Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



DIA 85 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 44



Fixed
Frosted glass cover

LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 65



Fixed
Aluminium Body
Clear glass cover



HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W
Sand black

IP 54



Fixed
Aluminium Body
Frosted glass cover

DOWNLIGHT



NANO-R

2150.-

DIA 90 mm. H 77 mm.



LED COB 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NANO-S

2150.-

DIA 90x90 mm. H 77 mm.



LED COB 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



ROBO 3W

1200.-

DIA 40 mm. H 65 mm.



CREE CHIP LED 3W 255lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

VEX 1W

800.-

DIA 25 mm. H 30 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



NOX 1W

800.-

DIA 40 mm. H 34.5 mm.



CREE CHIP LED 1W 105lm



3000K, 4000K

Matt white trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



TITAN-S 10W

1800.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm



3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

TITAN-M 20W

2150.-

DIA 106 mm. H 98 mm.



CREE CHIP LED 20W 1455lm



3000K, 4000K

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



BRUNO

2000.-

DIA 92 mm. H 100 mm.



LED COB 15W 1350lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm



3000K, 4000K

Matt white/ matt black

IP 65



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



KERRI-B

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Clear glass cover

NINA

1500.-

DIA 57 mm. L 123 mm.



GU10x1 Max. 50W
Sand black/ sand white

IP 54

- Adjustable
Aluminium Body
Frosted glass cover



NEW

SWIVEL

2250.-

DIA 60 mm. L 90 mm.



GU10x1 Max. 50W
Sand black

IP 65

- Adjustable
Aluminium Body
Clear glass cover

DOWNLIGHT



90°



JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



JACEY-S

1800.-


DIA 270x270 mm D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



DOWNLIGHT